


Figure 1



07/923692

Jon Danson et al
Limbach+Limbach
415-433-4150
B106-2012A
July 31, 1992
2008
EXP MAIL
RB 929125 07005




Figure 2

"Western" analyses: Proteins were separated on polyacrylamide gels and then probed with antibodies specific for Trichosanthin.

17/923692

Jon Donson et al.
Limbach + Limbach
415-433-4150
8/10/92-20121
July 31, 1992
3088
EXP MAIL:
RB 929126670US

1sp XbaI Start codon
GTTCCTAAATACGGCTGGAGG ATG ATC AGA TTC TTA GTC CTC TCT TTG CTA ATT CTC ACC ACC CTC TTC
Met Ile Arg Phe Leu Val Leu Ser Leu Leu Ile Leu Thr Leu Phe

Signal peptide -1 +1 Mature α -trichomanthin
CTA ACA ACT CCT GCT GTG GAG GCC | GAT GTT AGC TTC CGT TTA TCA
Leu Thr Thr Pro Ala Val Glu Gly | Asp Val Ser Phe Arg Leu Ser




Figure 3

17/923692

Jon Donson et al.
Limbach + Limbach
415-433-4150
B106-20121
July 31, 1992
4 of 8
EXP MAIL:
RB 929125670 US



Figure 4

Jon Dinson et al
Limbach + Limbach
B10G 20121
July 31, 1992
568
EXP MAIL
RB 929 125 670 US

07/923692

1 2 3 4 5 6

— — — — — — \leftarrow 27 kDa

Figure 5a

17/923692

Jon Donson et al
Limbach+Limbach
413 433-4150
810G-20121
July 31, 1992
6078
EXP. MAIL:
RB 929175 67005




Figure 5b

07/923692

Jon Donson et al.
Linibach + Linibach
415 433-4150
B10G - 20121
July 31, 1992
7069
Exp. Mail
RB 929125670US




Figure 6

Jon Donson et al
 Limbach + Limbach
 415 433-4150
 B10G-20121
 July 31, 1992
 8 of 8
 EXP MAIL:
 RB 929125670US




FIG. 7